CATALOG CH







ABBOTTRUBBER COMPANY, INC.

LIST PRICE CATALOG - APRIL 2025



We welcome you to visit our 112,000 square foot facility in Itasca IL.



Order Entry and Technical Assistance - Our Specialty



1311 Meacham Road Itasca, IL. 60143 (847) 952-1800 TOLL FREE (800) 852-1855 FAX (847) 952-0156 E-MAIL sales@abbottrubber.com ORDER ONLINE WWW.abbottrubber.com

ISO 9001:2015 Certified



Unparalleled Personalized Service

INDEX

Item.	 	 P	age


Water Suction Hose	.4-5
Water Discharge Hose	.6-8
Pump Hose Kits	.9
Air & Water Hose	.10-14
Cleaning Equipment Hose	.14
Special Purpose Hose	.15-17

ItemPage


Couplings & Accessories	.18-23
Pipe Fittings	.24
Hose Clamping Systems	.25
Hydraulic Hose Assemblies	
Hydraulic Hose Accessories.	.27

by Danfoss





BAND-IT



Serving the Construction Market for Over 70 Years

Large inventory of bulk hose and coupled assemblies.



We can fabricate to your exact hose needs.



All of our hose assemblies are fabricated according to the latest NAHAD Hose Safety Institute's Guidelines










MEMBER OF THE ASSOCIATION FOR HOSE AND ACCESSORIES DISTRIBUTION



🚳 www.abbottrubber.com

SUCTION HOSE

-PVC Water Suction Hose

Service: Water suction and	I.D.	Hose W/P @70°F	Price/Ft	Price/ 20 Ft w/ M+F Couplings	Price/ 20 Ft w/ C+Nipple Couplings
discharge hose designed for	1"	85#	\$2.28	\$105.50	\$89.50
construction, mining, marine	1 ¼"	80#	3.40	153.50	122.00
and irrigation purposes. Temperature range:	1 ½"	70#	2.38	86.50	101.50
15°F to 140°F.	2"	65#	3.22	116.50	130.50
Construction: Green, flexible,	2 1⁄2"	65#	6.20	276.00	284.00
abrasion resistant PVC with a rigid PVC reinforcement for full	3"	55#	5.60	217.50	236.00
	4"	50#	11.44	384.00	407.00
vacuum. Smooth bore. Also available in clear construction.	6"	40#	23.74	910.00	932.00
	8"	30#	71.52	2,904.00	2,505.50
		LES	SS 5% FULL C	OILS OF 100 FT TH	IRU 6" I.D.

All Weather Water Suction Hose \sim

Service: All weather, low temperature suction and discharge hose. Lightweight and	I.D.	Hose W/P @70°F	Price/Ft	Price/ 20 Ft w/ M+F Couplings	Price/ 20 Ft w/ C+Nipple Couplings
flexible. Ideal for septic handling and construction service.	1 ¼"	50#	\$3.98	\$165.00	\$133.00
Temperature range:	1 1⁄2"	50#	4.20	122.50	138.00
-40°F to 140°F.	2"	50#	6.02	172.50	186.50
Construction: Black 100%	2 1⁄2"	50#	10.20	308.00	315.50
EPDM rubber tube reinforced with a green polyethylene plastic helix. Abrasion resistant cover.	3"	45#	11.56	337.50	356.00
		40#	21.34	584.50	607.50
Also available in blue or red	6"	25#	45.82	1,351.50	1,374.00
color most sizes.					
			LESS 5% F	ULL COILS OF 10	0 FT.

Crushproof Water Suction Hose

Service: An all plastic, highly flexible, crushproof, non-kinking and lightweight hose. Flexibility maintained to -50°F below zero.		Hose W/P @70°F	Price/Ft	Price/ 20 Ft w/ M+F Couplings	Price/ 20 Ft w/ C+Nipple Couplings	
	1 ½"	20#	\$8.50	\$208.50	\$221.50	
Construction: Spiral welded.	2"	15#	11.60	284.00	295.00	
Pliable yellow smooth interior. Tough, abrasion resistant black	3"	7#	19.30	491.50	505.50	
plastic ribs. Furnished with leak		5#	35.80	860.00	883.00	
proof vinyl cuffs permanently attached each end. Will handle						6 har
full vacuum.						Made in U.S.A.
l		S	TOCK LENGT	HS AVAILABLE TO	50 FT.	(Series 1230)

800-852-1855

www.abbottrubber.com

4

SUCTION HOSE

-Rubber Water Suction Hose

Comisso Concert surrous water	I.D.	Hose W/P @70°F	Price/Ft	Price/ 20 Ft w/ M+F Couplings	Price/ 20 Ft w/ C+Nipple Couplings	
Service: General purpose water suction hose for contractors.	1 ¼"	150#	\$7.86	\$254.00	\$220.00	
industrial, and agricultural	1 1⁄2"	150#	7.88	207.50	218.00	
service. Temperature range: -10°F to 180°F.	2"	150#	9.62	257.00	267.00	
-10 F 10 100 F.	2 1⁄2"	150#	12.08	366.00	369.50	
Construction: Black smooth	3"	150#	14.92	425.50	439.00	
EPDM blend rubber tube, fabric	4"	125#	23.66	647.50	672.00	
plies and steel wire spiral for full vacuum service. Black rubber cover.	6"	100#	42.90	1,315.50	1,337.50	See CH Addendum Catalog for
	8"	75#	82.86	3,221.50	2,823.00	additional assembly configuration
	10"	75#	150.00			
	12"	75#	169.36			
		LES	SS 5% FULL C	OILS OF 100 FT TH	IRU 6" I.D.	(Series 1210

Clear Braid PVC Water Suction/Transfer Hose

an processing is required
or propure is required
or pressure is required. 3" 100# 13.60 409.00 422.00 Temperature range:
15°F to 140°F.4"75#20.42650.00629.00
Construction: Flexible PVC, 6" 70# 45.76 1,416.00 1,438.00
clear, with an orange rigid PVC 8" 60# 79.38 3,061.00 2,662.50
helix. Reinforced with a layer 10" 40# 115.00
of spiral yarn. 12" 25# 181.96

LESS 5% FULL COILS OF 100 FT THRU 6" I.D.



Made in U.S.A.

(Series 1630)

Abrasion Resistant Suction Hose W/P I.D. @70°F Price/Ft 1 1⁄2" 45# \$9.56 Service: Ideal for applications 2" 40# 15.48 requiring suction of abrasion 2 1/2" 35# 19.82 resistant materials such as 3" 23.60 35# crushed rock, sand, gravel, or 3 1⁄2" 30# 38.44 cement. Temperature range -40°F to 140°F 4" 30# 38.86 5" 30# 60.76 Construction: Black special abrasion resistant compound 6" 30# 75.12 supported by a rigid PVC helix. 7" 30# 101.44 Static dissipating. 8" 30# 125.24

268.46 LESS 15% FULL COILS OF 100 FT. THRU 6" I.D./ 50 FT 8" I.D. THRU 12" I.D.

217.56



10"

12"

28#

25#

🛃 www.abbottrubber.com

WATER DISCHARGE HOSE

Blue PVC Water Discharge Hose

Service: Designed for end moderate water dis service. Strong, lightwe and flexible lay flat hos construction site servic

Construction: Close w polyester jacket impreg with PVC. Mildew resis Rolls up flat for easy st Blue in color.

	I.D.	Hose W/P @70°F	Price/Ft	Price/ 50 Ft w/ M+F Couplings	Price/ 50 Ft w/ C+E Couplings	
	1"	100#	\$1.02	\$	\$	
r open	1 1⁄2"	80#	1.14	87.50	104.00	and the second sec
lischarge /eight	2"	80#	1.24	103.50	120.50	
se for	2 1⁄2"	65#	2.92	220.50	230.50	
ce.	3"	80#	2.42	179.00	197.50	
wovon	4"	70#	3.34	286.50	301.00	
woven eqnated	6"	60#	6.24	610.00	590.00	GOODFYEAR
istant.	8"	35#	14.00	2,073.50	1,605.00	
storage.	10"	35#	34.50			
	12"	30#	45.00			Made in U.S
	14"	30#	102.00			(1½" ID thru 8"
	16"	30#	118.50			GOOD [®] YEA
				S OF 300 FT. THRI ABLE IN 100 FT. ((Series 1148

Green Contractors PVC Water Discharge Hose

Service: Medium duty open end water discharge hose designed to handle a wide range of applications in construction, industry, and agricultural service.

Construction: PVC tube and cover reinforced with spiral polyester. Mildew resistant. Rolls up flat for easy storage. Green in color.

I.D.	Hose W/P @70°F	Price/Ft	Price/ 50 Ft w/ M+F Couplings	Price/ 50 F w/ C+E Couplings
2"	80#	\$1.44	\$113.50	\$116.50
3"	80#	2.94	205.00	223.50




(Series 1152

LESS 10% FULL COILS OF 300 FT.

Red Heavy Duty PVC Water Discharge Hose

Service: Heavy duty premium quality discharge hose for use in higher pressure open end	I.D.	Hose W/P @70°F	Price/Ft	Price/ 50 Ft w/ M+F Couplings	Price/ 50 Ft w/ C+E Couplings	(CLARED)
applications.	1 1⁄2"	150#	\$2.46	\$153.50	\$170.00	
Construction: PVC	2"	150#	3.12	197.50	214.50	GOOD FYEAR
reinforced with three spiral	2 1⁄2"	150#	5.28	338.50	348.50	
plies of polyester. Mildew	3"	150#	4.62	289.00	307.50	•
resistant. Rolls up flat for easy storage.	4"	150#	6.92	465.50	480.00	See CH Addendum Catalog for additional assembly configurations
Red in color.	6"	150#	12.00	898.00	878.00	
	8"	70#	16.26	2,190.00	1,721.50	Made in U.S.A. (thru 6" ID)
						GOOD [®] YEAR

LESS 10% FULL COILS OF 300 FT



截 www.abbottrubber.com

WATER DISCHARGE HOSE

•Extra Heavy Duty PVC Water Discharge Hose

Service: Recommended	I.D.	Hose W/P @70°F	Price/Ft	Price/ 50 Ft w/ M+F Couplings	Price/ 50 Ft w/ C+E Couplings	
for open end use with high	1 1⁄2"	250#	\$4.84	\$284.00	\$293.50	
capacity pumps in irrigation and construction.	2"	250#	5.94	351.00	360.50	
Construction: Heavy PVC/Nitrile	2 1⁄2"	250#	6.86	438.50	439.50	GOODFYEAR
tube reinforced with extra heavy	3"	250#	9.20	539.50	547.50	
fabric. Cover is yellow abrasion	4"	200#	13.44	811.00	827.50	See CH Addendum Catalog for
resistant PVC/Nitrile. Also	6"	150#	20.72	1,408.50	1,388.50	additional assembly configurations
available in Black color. 3:1 Design Factor	8"	150#	39.50	3,439.50	2,970.50	GOOD [®] YEAR
3.1 Design Factor		AVAILABLE	E IN 25, 50 OR	100 FT. LENGTHS	S ONLY	(Series 1166)

+#125 Mill Discharge Hose

Service: Light duty general	I.D.	Hose W/P @70°F	Price/Ft	Price/ 50 Ft w/ M+F Couplings	Price/ 50 Ft w/ C+E Couplings
purpose lay flat water discharge	1 1⁄2"	125#	\$1.45	\$103.00	\$119.50
hose.	2"	125#	1.60	121.50	138.50
Construction: Black rubber tube.	2 1⁄2"	125#	2.34	191.50	201.50
White single-jacket all polyester	3"	125#	2.65	190.50	209.00
cover. Will not absorb moisture.	4"	125#	3.90	314.50	329.00
	6"	125#	8.50	723.00	703.00
		AVAILABL	E IN 25, 50 O	R 100 FT. LENGT	HS ONLY

-Heavy Duty #150 Mill Discharge Hose、


Service: General purpose lay	I.D.	Hose W/P @70°F	Price/Ft	Price/ 50 Ft w/ M+F Couplings	Price/ 50 Ft w/ C+E Couplings	
flat water discharge hose.	1"	150#	\$2.92	\$199.50	\$179.00	
Construction: Black EPDM	1 1⁄2"	150#	3.04	182.50	199.00	
age resistant rubber tube. White	2"	150#	3.98	240.50	257.50	GOODJYEAR
single-jacket all polyester	2 1⁄2"	150#	5.40	344.50	354.50	
cover. Will not absorb moisture.	3"	150#	6.50	383.00	401.50	
	4"	150#	10.70	625.00	669.00	Made in U.S.A. GOOL
		AVAILABL	E IN 25, 50 O	R 100 FT. LENGT	HS ONLY	(Serie

-Double Jacket #200 Mill Discharge Hose

discharge hose featuring a double-jacket for greater abrasion resistance and	I.D.	W/P @70°F	Price/Ft	Price/ 50 Ft w/ M+F Couplings	
service pressure.	1 1⁄2"	200#	\$1.84	\$153.50	
Construction: Black SBR age	2"	200#	2.50	202.00	
resistant rubber tube. White	2 1⁄2"	200#	3.33	225.00	GOODTYEAR
double-jacket all polyester	3"	200#	4.50	283.00	
cover. Also available with red, yellow or black impregnation	4"	150#	9.00	886.50	
at additional charge.					GOOD YEA
J -	ASSEMBLY	INCLUDES I	IN LEKINAL EXP	ANDED ALUMINUM	I COUPLINGS (Contraction of the second

AVAILABLE IN 25, 50 OR 100 FT. LENGTHS ONLY

(Series 1132)



Service: Lav flat water

🛃 www.abbottrubber.com

WATER DISCHARGE HOSE

Rubber Water Discharge Hose

	I.D.	Plies	W/P @70°F	Price/Ft	
	1 1⁄2"	2	150#	\$6.26	
Service: Top grade water	1 1⁄2"	4	200#	10.06	
discharge hose for industrial	2"	2	150#	8.54	
and construction applications.	2"	4	200#	12.28	
Temperature range -10°F to 150°F.	2 1⁄2"	2	150#	10.54	
	2 1⁄2"	4	200#	15.06	
	3"	2	150#	13.00	and the second second
Construction: Black SBR	3"	4	175#	16.66	
rubber tube, 2 or 4 ply	4"	2	125#	17.44	
equivalent of woven polyester	4"	4	150#	22.88	
fabric. Black abrasion resistant	6"	2	100#	29.26	
SBR rubber cover.	6"	4	125#	44.64	
	8"	4	100#	73.22	
	10"	4	100#	91.54	
	12"	4	100#	121.28	
	AVAI	LABLE IN 2	5, 50, 100 FT.	LENGTHS ONLY	(Serie

Industrial Discharge Hose

			W/P		
	I.D.	Ply	@70°F	Price/Ft	
Service: Medium duty lay flat oil	1 1⁄2"	1	250#	\$4.84	
resistant discharge hose for high	2"	1	250#	5.94	
capacity pumps. Temperature range -20°F to 180°F.	2 1⁄2"	1	250#	6.86	
Tange -20 F to Too F.	3"	1	250#	9.20	GOODSTAR
Construction: Extruded	4"	1	200#	13.44	OU, YEAR
PVC/Nitrile reinforced	6"	1	150#	20.72	
with circular woven polyester.	8"	1	150#	39.48	
Black or yellow ribbed cover.	10"	1	125#	49.96	
3:1 Design Factor	12"	1	125#	60.88	GOODFYEAR
	AVAIL	ABLE IN 5	0 OR 100 FT.	LENGTHS ONLY	(Series 1167)

Commercial Rubber Water Hose Assembly

Service: Low cost rubber water hose assembly for contractors and industrial service.

Construction: Black EPDM tube & cover. Reinforced for moderate pressure applications. Includes brass GHT couplings.

I.D.	W/P @70°F	Price/ 50 Ft w/ M+F Couplings	Price/ 100 Ft w/ M+F Couplings
5/8"	125#	\$88.32	\$145.46



Rubber Water Hose Assembly

Service: Moderate pressure water hose assembly for contractors	I.D.	Hose W/P @70°F	Price/ 25 Ft w/ M+F Couplings	Price/ 50 Ft w/ M+F Couplings	Price/ 100 Ft w/ M+F Couplings
and industrial service.	5/8"	150#	\$81.50	\$132.00	\$232.50
Construction: Contractors	3/4"	150#	89.00	141.50	249.50
grade black rubber	3/4"	200#	119.00	205.00	393.50
assembly includes	1"	150#	141.50	222.00	385.00
machined brass GHT	1 ½"	150#	297.00	555.50	1,077.50
couplings thru ¾", NPSH couplings 1" thru 2" I.D.	2	150#	623.00	1,205.00	2,336.00
coupinigs i tilu z i.b.		C	ONTACT US FOR	R NON-STANDAR	DIENGTHS



800-852-1855

🛃 www.abbottrubber.com

PUMP HOSE KITS

Pump Hose Kits

- Choose from a wide selection of stock Water Suction Hose Kits below.
- Kits are supplied in a retail box with a color label.
- We can custom make just about any Water Suction Hose Kit requirement.



-PVC Water Suction Hose Kit

Includes

- 20 Ft. Series 1240 PVC Suction Hose Assembly (1" is 10 Ft.)
- 50 Ft. Series 1148 PVC Discharge Hose Assembly (1" is 25 Ft.)
- Spanner Wrench (Male & Female Kits only, not included on 1" Kit)

1 1/2"

\$203.50

268.00

QUICK COUPLING SUCTION HOSE IS 'C' X NIPPLE - DISCHARGE HOSE IS 'C' X 'E'

2"

\$256.00

295.00

3"

\$448.00

503.50

\$762

836

- Steel Strainer (Please specify Round or Square Hole)
- 2 Aluminum Part 'A' Adapters (Quick Coupling Kits only)
- Box for above with label (Customized Labels Available)

1"

\$173.50

and the second		C	
4"	Hang-Day PAC Parap Intel Ha		
2.50 6.50	Made in U.S.	A.	

Made in 0.0.A.

(Series 1240KIT)

All-Weather Water Suction Hose Kit

Includes

M&F Thread

Quick Coupling

- 20 Ft. Series 1220 All-Weather Suction Hose Assembly
- 50 Ft. Series 1142 PVC Discharge Hose Assembly
- Spanner Wrench (Male & Female Kits only)
- Steel Strainer (Please specify Round or Square Hole)
- 2 Aluminum Part 'A' Adapters (Quick Coupling Kits only)
- Box for above with label (Customized Labels Available)

	2"	3"	
M&F Thread	\$346.50	\$594.00	
Quick Coupling	347.00	650.00	
QUICK COUPLIN	G SUCTION HO	SE IS 'C' X NIP	PLE - DISCHARGE HOSE IS 'C' X 'E'

Made in U.S.A. (Series 1220KIT)

OODTYEAR

-Rubber Water Suction Hose Kit

Includes

- 20 Ft. Series 1210 Rubber Suction Hose Assembly
- 50 Ft. Series 1130 Mill Discharge Hose Assembly
- Spanner Wrench (Male & Female Kits only)
- Steel Strainer (Please specify Round or Square Hole)
- 2 Aluminum Part 'A' Adapters (Quick Coupling Kits only)
- Box for above with label (Customized Labels Available)

	1 1⁄2"	2"	3"	4"	
M&F Thread	\$419.50	\$533.50	\$879.00	\$1,364.50	
Quick Coupling	457.00	568.00	930.00	1,480.00	

QUICK COUPLING SUCTION HOSE IS 'C' X NIPPLE - DISCHARGE HOSE IS 'C' X 'E'

(Series 1210KIT)



🚳 www.abbottrubber.com

AIR & WATER HOSE

Service: Quality, rubber-like, PVC hose that can be used for air and W/P I.D. Braid 0.D. @70°F Price/Ft water applications. Operating temperature 1 \$0.94 1/4" .450 300# range 25°F to 150°F. 3/8" 1 .600 300# 1.06 Construction: Lightweight and 1/2" 1 .780 300# 2.16 flexible oil resistant PVC tube 3/4" 1 1.110 200# 3.46 and cover with polyester 1" 1.380 1 175# 4.94 reinforcement. Available with red or blue cover.



PVC Air Tool Hose

LESS 10% FULL REELS OF 600/750 FT.

-Industrial Air/Water Hose

				W/P		
	I.D.	Braid	O.D.	@70°F	Price/Ft	
	1/4"	1	.500	200#	\$1.52	
Service: Economical hose that	1/4"	2	.531	300#	1.72	
performs many jobs efficiently. Used for air and water service	5/16"	1	.593	200#	1.80	
where little oil resistance is	3/8"	1	.656	200#	1.86	
required. Temperature range	3/8"	2	.690	300#	2.24	
-40°F to 210°F.	1/2"	1	.812	200#	2.34	
Construction: Black, EPDM, ag	e 1/2"	2	.875	300#	2.70	4
resistant rubber tube	5/8"	1	.937	200#	3.54	
reinforced with 1 or 2 braid equivalent spiral reinforcement.	3/4"	1	1.125	200#	3.56	
Abrasion and weather resistant	3/4"	2	1.150	300#	3.92	
red or black EPDM rubber cover.	1"	2	1.437	200#	5.88	
	1 1⁄4"	2	1.750	200#	11.12	Made in U.S
	1 1⁄2"	2	2.000	200#	13.52	
	2"	2	2.500	200#	22.66	
LESS	10% FULL REEL	.S ¼" THRU ⁻	1" I.D 500/	600 FT. 1¼" T	HRU 2" I.D 30	00/400 FT.

General Purpose Air/Water Hose

Service: A medium duty general purpose hose for handling air and water applications. Non-conductive.	I.D.	Braid	O.D.	W/P @70°F	Price/Ft	
Temperature range -20°F to 210°F.	3/8"	2	.690	300#	\$3.34	
Construction: Black, Nitrile,	1/2"	2	.860	300#	4.10	
oil resistant rubber tube with 1	3/4"	2	1.190	300#	7.08	
or 2 braid equivalent of spiral reinforcement. Red, good oil, abrasion and weather resistant cover.	1"	2	1.500	300#	10.24	
					7	Made in U.S.A.
		LES	S 10% FULI	REELS		(Series 10

<u>78800-852-1855</u>

🛃 www.abbottrubber.com

AIR & WATER HOSE

PVC Air Tool Hose Assembly

Construction: PVC air tool hose assembly includes brass NPT	I.D.	Hose W/P @70°F	Price/ 25 Ft w/ Brass Males	Price/ 50 Ft w/ Brass Males	Price/ 100 Ft w/ Brass Males	
male fittings attached with crimped ferrules	1/4" 3/8"	300# 300#	\$35.50 40.00	\$59.00 66.50	\$106.00 119.50	
both ends. Available in red, or blue cover.	3/8 1/2"	300# 300#	40.00 76.50	130.50	238.50	
Assembly is rated to 200# working pressure.						CANADA GOOL

PLEASE SPECIFY THREAD SIZE WHEN ORDERING QUICK-DISCONNECT ADD-ON SEE PAGE 21



Industrial Air/Water Hose Assembly

Construction: Industrial air/water hose assembly includes brass NPT male fittings attached with grinned formulae.	I.D.	Hose W/P @70°F	Price/ 25 Ft w/ Brass Males	Price/ 50 Ft w/ Brass Males	Price/ 100 Ft w/ Brass Males			
with crimped ferrules both ends. Red cover.	3/8"	300#	\$54.00	\$93.00	\$171.00			
Assembly is rated to	1/2"	300#	90.00	127.50	232.50			
200# working pressure.						Made in U.S.A.		
ADD \$2.00 PER LENGTH FOR PVC BEND RESTRICTORS								
	PLEASE SPECIFY THREAD SIZE WHEN ORDERING QUICK-DISCONNECT ADD-ON SEE PAGE 21 (Series 10							

(Series 1010A)

General Purpose Air/Water Hose Assembly

Construction: Oil resistant general purpose air/water hose assembly includes brass NPT		Hose W/P @70°F	Price/ 25 Ft w/ Brass Males	Price/ 50 Ft w/ Brass Males	Price/ 100 Ft w/ Brass Males	
male fittings attached	3/8"	300#	\$97.00	\$180.50	\$348.00	
with crimped ferrules both ends. Red cover.	1/2"	300#	125.00	227.50	432.50	
Assembly is rated to 200# working pressure.	ŧ	10				Made in U.S.A.

ADD \$2.00 PER LENGTH FOR PVC BEND RESTRICTORS PLEASE SPECIFY THREAD SIZE WHEN ORDERING QUICK-DISCONNECT ADD-ON SEE PAGE 21

GOOD YEAR (Series 1024A

·Low-Temperature Air/Water Hose Assembly

Service: New low-temperature, extremely flexible and lightweight air and water hose assembly. Features an oil resistant tube and non-marking cover.


I.D. Construction: High grade, low temperature PVC 1/4" compound tube and cover reinforcement with high 3/8" strength spiral polyester. Flexible to -40°F. Assembly is rated to 200# working pressure.

Hose W/P @70°F	Price/ 25 Ft w/ Brass Males	Price/ 50 Ft w/ Brass Males	Price/ 100 Ft w/ Brass Males
300#	\$49.50	\$82.00	\$148.00
300#	59.50	100.50	182.00

AVAILABLE WITH YELLOW, RED OR BLUE COVER PLEASE SPECIFY THREAD SIZE WHEN ORDERING



(Series 1044A)



JACK HAMMER HOSE

Pneumatic Tool Air Hose Assembly ~

	Red I.D.	W/P @70°F	Price/Ft Bulk Hose	Price/50 Ft Assembly				
	3/4"	300#	\$2.30	\$152.50				
	1"	200#	5.88	342.50				
Service: A quality hose for use								
with mobile air compressors to 150# working pressure.	Yellow I.D.	W/P @70°F	Price/Ft Bulk Hose	Price/50 Ft Assembly				
	3/4"	300#	\$2.30	\$152.50				
Construction: Black, oil mist resistant rubber tube, two braid equivalent of polyester spiral reinforcement. Abrasion and suplicit register EDDM rubber	Green I.D.	W/P @70°F	Price/Ft Bulk Hose	Price/50 Ft Assembly				
sunlight resistant EPDM rubber cover.	3/4"	300#	\$2.50	\$167.50				
	Blue I.D.	W/P @70°F	Price/Ft Bulk Hose	Price/50 Ft Assembly				
	3/4"	300#	\$2.50	\$167.50				
	ASSEMBLY INCLUDES UNIVERSAL COUPLINGS ATTACHED WITH FERRULES EACH END ADD \$9.50 PER LENGTH FOR 2-BOLT CLAMPS							

High Pressure Air Hose Assembly

Service: A heavy duty hose for the most demanding applications. Used with mobile air compressors to 150# working pressure.	I.D.	Wire	W/P @70°F	Price/Ft Bulk Hose	Price/50 Ft Assembly	
Construction: Oil-resistant rubber tube, multi-strand steel wire reinforcement, high-visibility bright yellow rubber cover.	3/4"	2-Spiral	600#	\$6.10	\$355.00	9=

(Series 1082A)

Lay-Flat Pneumatic Tool Air Hose Assembly

🚳 www.abbottrubber.com

Service: A quality lay-flat hose for use with mobile air compressors to 150# working pressure.	I.D.	Braid	W/P @70°F	Price/Ft Bulk Hose	Price/50 Ft Assembly	
Construction: Oil resistant Nitrile rubber tube with polyester reinforcement. Yellow abrasion and sunlight resistant ribbed cover.	3/4"	1	225#	\$5.82	\$337.00	0
				UNIVERSAL COL ID CLAMPS EAC		(Series 1068)

800-852-1855

AIR & WATER HOSE

-Hose Whip Assembly

Service: Short hose assembly used as flexible connector between supply hose and tool.

Construction: Red cover, oil mist resistant (Series 1010) or oil resistant (Series 1024) tube with 2-braid equivalent spiral polyester. Assembly includes Universal one end, long shank steel male thread other end attached with Band-It clamps.

	Oil Mist Resistant (Series 1010 Hose)										
	I.D.	Braid	W/P @70°F	Price/ 10 Ft Assembly	Additive Per Foot						
oil	1/2"	2	300#	\$69.50	\$2.10	CC					
١	Oil Resistant (Series 1024 Hose)										
	I.D.	Braid	W/P @70°F	Price/ 10 Ft Assembly	Additive Per Foot	Mac					
	1/2"	2	300#	\$93.00	\$4.10						
	PLEASE SPECIFY THREAD SIZE WHEN ORDERING ADD \$22.00 PER LENGTH FOR BENT STEM SWIVEL										



-300# Push-On Hose


Service: Recommended for air, water, or low pressure hydraulic service and many other industrial	I.D.	Braid	W/P @70°F	Price/Ft	Brass Male Price/Ea	
applications. Non-conductive.	1/4"	1	300#	\$3.14	\$2.20	
Construction: Black Nitrile, oil	3/8"	1	300#	3.68	3.34	
resistant rubber tube, single ply	1/2"	1	300#	4.74	5.60	
of neutral-angle braided fiber. Neoprene oil resistant rubber	5/8"	1	300#	10.00	9.60	
cover. Available with black,	3/4"	1	300#	10.20	9.58	
green, blue, gray or red cover.						Made in U.S.A.
		LESS	15% - FULL	REELS OF 500 F	-T	(Series 1910)

LESS 15% - FULL REELS OF 500 FT

-500# Multi-Purpose Hose

Service: Heavy duty multi-purpose	I.D.	Braid	W/P @70°F	Price/Ft
hose for applications requiring long	1/4"	2	500#	\$6.40
life. Non-conductive. Temperature	3/8"	2	500#	7.76
range -20°F to 210°F.	1/2"	2	500#	10.98
Construction: Highest quality oil	3/4"	2	500#	14.40
resistant Nitrile tube, reinforced	1"	2	500#	21.38
with a special spiral yarn. Fluorescent yellow carboxylated	1 1⁄4"	2	500#	33.82
Nitrile/PVC abrasion resistant cover.	1 1⁄2"	2	500#	39.06
	2"	2	500#	40.90
	LE	SS 10% - FU	LL REELS O	F 500 FT

				Fabr	ic Braid Air Hose
	I.D.	Braid	W/P @70°F	Price/Ft	
Service: A medium pressure,	3/4"	1	300#	\$4.50	
heavy duty hose for air, water and jetting applications. Temperature	1"	1	300#	5.68	
range -25°F to 185°F.	1 1⁄4"	1	300#	8.14	and the second
Construction: Oil mist resistant rubber	1 1⁄2"	1	300#	10.82	
tube, polyester cord reinforcement,	2"	1	300#	13.30	
high-visibility bright yellow rubber	2 1⁄2"	2	300#	18.38	
cover. 3:1 Design Factor	3"	2	300#	23.48	
	AVAILABI	LE IN 50 OF	R 100 FT. LEN	IGTHS ONLY	(Series 1070)



www.abbottrubber.com

AIR & WATER HOSE

				gh Pre	essure Air Hose $\overline{\}$
Service: Engineered for heavy	I.D.	Spiral	W/P @70°F	Price/Ft	
duty applications. Features a	3/4"	2	600#	\$6.10	
steel wire reinforcement.	1"	2	600#	7.42	
Construction: Nitrile rubber	1 ¼"	2	600#	8.78	
tube, multi-strand steel wire	1 1⁄2"	2	600#	11.42	
reinforcement, high-visibility	2"	2	600#	16.34	
bright yellow rubber cover.	2 1⁄2"	2	600#	22.80	
Resists cutting and gouging in rough service applications.	3"	2	600#	28.98	
rough service applications.	4"	2	600#	45.00	
	AVAILAE	BLE IN 25, 50 O	R 100 FT. LEN	GTHS ONLY	(Series 1082)

High Pressure "Bull Hose" Assembly

Service: For heavy duty
applications. Suited for air hose
for rough service using mobile
air compressors.
Construction: Assembly
includes ground joint

malleable iron couplings

attached.

-	I.D.	@70°F	w/ MxM	w/ MxF	w/ FxF
	2"	600#	\$1,060.50	\$1,102.50	\$1,232.00
	3"	600#	2,138.00	2,324.00	2,510.00



CLEANING EQUIPMENT HOSE

Pressure Washer Hose Assembly

Service: High pressure water hose assembly for use with pressure washers and carpet cleaners. Handles hot water up to 302°F.

Construction: Black rubber tube reinforced with braided steel wire. Blue non-marking smooth cover is oil, abrasion and weather resistant. Assembly includes NPT males both ends. 3/8" size includes male swivel one end and bend restrictors. (3:1 Design Factor)

W/P Price/ 50 Ft Price/ 100 Ft w/ Male Couplings LD. Braid @70°F w/ Male Couplings 1/4" 1-Wire 4350# \$163.00 \$299.00 3/8" 1-Wire 4350# 208.00 387.00 3/8" 2-Wire 7250# 254.00 479.00



(Series 1194BL) (Series 1197BL)

CONTACT US FOR NON-STANDARD LENGTHS

Steam Cleaner Hose Assembly-

Price/ 25 Ft Price/ 50 Ft I.D. Braid w/ Male Couplings w/ Male Couplings 1-Wire \$277.50 \$512.00 3/8" 372.00 693.50 1/2" 1-Wire Made in U.S.A. (Series 1320) ASSEMBLY INCLUDES MALES ATTACHED BOTH ENDS

截 www.abbottrubber.com


Service: Medium pressure, flexible hose for steam cleaning operations and saturated steam use to 325°F. Can also handle 3000# W/P cold water.

Construction: Tube specially compounded for resistance to cleaning agents and detergents. Reinforced with braided steel wire. Black heat and oil resistant cover.

78800-852-1855

SPECIAL PURPOSE HOSE

					—Sand Blast Hose、
Service: For conducting sand, steel shot or other sharp abrasives at high velocity.	Size 1/2" 3/4"	<mark>о.д.</mark> 1.130 1.500	₩/₽ @70°F 150# 150#	Price/Ft \$6.08 9.52	
Construction: ¹ ⁄ ₄ " thick abrasion resistant static-conducting tube. Reinforced with spiral polyester cord. Black abrasion resistant rubber cover.	1" 1 ¼" 1 ½" 2"	1.875 2.156 2.375 2.875	150# 150# 150# 150#	10.70 12.24 14.56 21.82	(Series 1660)
	AV	AILABLE IN 25,	50 OR 100 FT		
Service: Heavy duty hose for high pressure concrete pumping and spraying plaster, grout, sand, gypsum and ready mixed concrete. Construction: Black abrasion resistant Natural Rubber tube with high tangilo taytilo rainforma	I.D. 1" 1 ¼" 1 ½"	W/P @70°F 800# 800# 800#	w/ N Cou \$1, 1,	e/ 50 Ft PT Male uplings 225.50 419.50 755.00	ster & Grout Hose
with high tensile textile reinforce- ment. Abrasion resistant rubber cover.	2"	800#		790.50	SE SPECIFY (Series 1670)
	AVAILABLE V	VITH NPT OR V	-GROOVE CO	UPLINGS, PLEAS	
		W/P			——Gunite Hose
Service: Designed for pumping dry sand and cement. Construction: Gum rubber tube reinforcement with a high tensile cord. Non-marking cover and an	I.D. 1 ½" 1 5%" 2" 2 ½"	₩/₽ @70°F 150# 150# 150# 150#		ce/Ft 22.54 25.90 32.48 38.00	STREET WIT COUNTY OF PERIODS BAR
imbedded static wire.		ILABLE IN 50 F			(Series 1675)
					·· · · · · · · · · · · · · · · · · · ·
Service: Heavy duty all plastic host for air, gases, dust, fumes and liquit by suction, gravity or pressure.		Maximum Vacuum	Price/ Ft	Price/ Cuff	stic Vacuum Hose
Construction: Non-wire interlocking construction allows hose to be crush-resistant. Smooth, screw-on vinyl cuffs	1 ¼" 1 ½" 2"	29" 29" 20"	\$3.85 4.68 6.38	\$7.50 7.75 12.50	
available.		MAXIMUM I	ENGTH - 50 F	т	Made in U.S.A. (Series 1810)
			rin M	A ldin	g Hose Assembly
 Service: Dual-line hose for oxyger & acetylene service. Meets RMA spec. Type VD, Grade R. Construction: One line red and one green bonded together for easy handling. Coupled with 9/16-18 females both ends. 		עע/P raid @70°ו 1 200#	Price/ 2 F w/ Coup	5 Ft Price lings w/ Cou	4 50 Ft pplings 39.00 Made in U.S.A. (Series 2050A)



SPECIAL PURPOSE HOSE

Service: Used with portable blowers and heaters, ventilation and fume removal equipment. Temperature range -20°F to 180°F.

Construction: Expanded wire pitch for excellent compressibility and minimum storage. Yellow PVC impregnated polyester with a black wear strip. Custom lengths available.

I.D.	Price/ 15 Ft Belt & Buckle	Price/ 25 Ft Belt & Buckle
8"	\$235.29	\$308.50
10"	274.50	366.50
12"	330.50	402.50



Ventilation & Blower Hose

ADD \$90.00 PER LENGTH FOR ATTACHED STORAGE BAG ONE END

(Series 2582)

Airless Paint Spray Hose Assembly

Service: Lightweight and flexible static conductive hose for airless paint spray. Temperature range 0° to 200°F.

Construction: Nylon tube, chemical and solvent resistant. Polvester reinforcement and Polyurethane cover. Dissipates static charge.

S

synthetic cover.

I.D.	W/P @70°F	Price/ 25 Ft w/ Couplings	Price/ 50 Ft w/ Couplings
1/4"	3300#	\$117.50	\$150.50
3/8"	3300#	132.50	216.00

ASSEMBLY INCLUDES NPSH SWIVEL FEMALES AND SPRING GUARDS BOTH ENDS

Made in U.S.A. (Series 2015)

-LPG Butane-Propane Hose

Service: Flexible, heavy duty, high		W/P	
pressure hose for handling L.P. gas. U.L. listed. Can also be used for low	I.D.	@70°F	Price/ Ft
pressure natural gas up to 1# working	1/4"	350#	\$5.10
pressure. Not for use in confined work	3/8"	350#	5.14
areas. Temperature range -20°F to +	1/2"	350#	7.32
140°F.	3/4"	350#	15.26
Construction: Smooth, permeation	1"	350#	15.84
resistant Nitrile tube, braided synthetic	1 1⁄4"	350#	21.50
reinforcement. Black oil resistant			

LESS 10% - FULL REELS OF 500/600 FT

Made in U.S.A. (Series 2020)

- LPG Unloading Hose

Service: Liquid Petroleum Gas LPG hose is designed for the transfer of bulk and high volume propane. Meets CSA 8.1, Type 1 and UL 21.0 specifications. Not for use with natural gas. Temperature range -40°F to 160°F.

Construction: Nitrile tube reinforced with braided textile. Black oil resistant Neoprene cover with yellow stripe.

I.D.	W/P @70°F	Length	Price/ Ft	0
1 ¼"	350#	50/100/300	\$44.88	
1 1⁄2"	350#	50/100/150	71.88	
2"	350#	50/100/150	81.94	

Made in U.S.A. (Series 2022)

Urethane Water & Slurry Transfer Hose (1159)

Service: Water and slurry transfer hose for applications of rugged terrain or where strength and abrasion resistance I.I for the tube or cover is essential. Blue NSF 61 grade can be used for potable water applications. Flexible at temperatures to -58° F.

Construction: High abrasion resistant extruded thermoplastic polyurethane reinforced with high strength circular woven filament polyester yarn. Cover is black. Blue cover for NSF 61 grade.

I.D.	W/P @70°F	Black Price/Ft	Blue Price/Ft
1"	250#	\$	\$8.32
1 1⁄2"	200#	9.38	10.80
2"	200#	15.22	14.08
2 1⁄2"	200#	16.00	16.28
3"	200#	22.06	21.54
4"	175#	29.18	29.00
6"	150#	38.56	49.50
	LESS 10%	FULL COILS OF	⁻ 650 FT.

(1169)




800-852-1855

🙈 www.abbottrubber.com


SPECIAL PURPOSE HOSE

]	Hot Tar	R. Denl	nalt Hose
Service: Designed to handle						a napi	
high temperature asphalt, tar, oil	1.1	D.	Ply	W/P @70°F	Price/ Ft		
and other unrefined petroleum products. Maximum working		1⁄2"	4	150#	\$45.48		
temperature 350°F.	2		4	150#	56.12		
-	3' 4'		4	150# 150#	77.18 92.76		
Construction: Special high temperature tube reinforced			·		02.10	ALC: N	
with a dual wire helix. Black	1.1) .	Braid	W/P @70°F	Price/ Ft		CANADA
petroleum, abrasion, heat and ozone resistant cover.	1'		2W	300#	\$38.44		*
	1" APP	LICATO	R HOSE AVA	AILABLE IN 25	OR 50 FT. LENGTHS O	NLY	(Series 1780)
						а 4 Ш	
					– Fiebus	ant Tru	ınk Hose 🔨
Service: Designed for onen	I.D.	Ply	Tube	W/P @70°F	Price/ Ft		
Service: Designed for open end cement and abrasives by	к. 8"	2	1/8"	50#	\$95.00		
gravity flow.	0 10"	2	78 1/8"	50#	\$95.00 116.00		
Construction: Tan pure gum		_		• • • •			
tube. Reinforced with polyester.	12"	2	1/8" 1/1	50#	142.50		
Black natural rubber/SBR cover.	14"	2	1/8"	50#	182.00		0
	16"	2	1⁄8"	50#	222.50		(Series 1755)
			LESS 15%	- FULL COILS			
					—Hot A	ir Blov	ver Hose、
Service: Used for hot air to 300°F							
under pressure between the air				W/P			
compressor and dry bulk tank.	I.D.		Ply	@70°F	Price/ Ft		
Construction: Black EPDM, heat	2"		2	150#	\$23.16		1 Alexandress of the second se
resistant tube, polyester cord and	3"		2	150#	48.04		CANADA
steel wire helix reinforcement. Blac	k 4"		2	150#			
EPLUVI COVER WITH VEILOW STRIDE			-	150#	67.24		
EPDM cover with yellow stripe.			-	150#	67.24		(3 & 4" ID)
EPDIVI cover with yellow stripe.			_	- FULL COILS			(3 & 4" ID) (Series 1740)
	·	<u></u>	LESS 10%	- FULL COILS	OF 100 FT.	Discha	(Series 1740)
Dr	y I	Ла	LESS 10%	- FULL COILS	OF 100 FT.	Discha	
Service: For pneumatic transfer of cement or dry powder under	-		LESS 10%	-FULL COILS	of 100 ft. ement I /P	Discha	(Series 1740)
Dr Service: For pneumatic transfer of cement or dry powder under low pressure and for use with	I.D		LESS 10% teria	-FULL COILS	OF 100 FT. ement] //P 0°F Price/ Ft	Discha	(Series 1740)
Dr Service: For pneumatic transfer of cement or dry powder under low pressure and for use with abrasive slurries.	- I.D 4"	-	LESS 10% teria Ply T 2 3	-FULL COILS als/C Wube @7 1/16" 75	OF 100 FT. ement] //P 0°F Price/ Ft 5# \$28.60	Discha	(Series 1740)
Dr Service: For pneumatic transfer of cement or dry powder under low pressure and for use with abrasive slurries. Construction: Black abrasion	I.D 4" 4"		LESS 10% teria Ply T 2 3 2	- FULL COILS als/C wube @7 14" 75	OF 100 FT. ement I 0°F Price/ Ft 5# \$28.60 5# 37.82	Discha	(Series 1740)
Dr Service: For pneumatic transfer of cement or dry powder under low pressure and for use with abrasive slurries. Construction: Black abrasion resistant and static conducting natural rubber tube with polyester	I.D 4" 4" 4 1⁄	2"	LESS 10% teria Ply T 2 3 2 2	-FULL COILS als/C W ube @7 1/4" 75 1/4" 75	OF 100 FT. ement] 0°F Price/ Ft 5# \$28.60 5# 37.82 5# 53.32	Discha	(Series 1740)
Dr Service: For pneumatic transfer of cement or dry powder under low pressure and for use with abrasive slurries. Construction: Black abrasion resistant and static conducting natural rubber tube with polyester cord reinforcement. Black wear	I.D 4" 4"	2"	LESS 10% teria Ply T 2 3 2 2	- FULL COILS als/C wube @7 14" 75	OF 100 FT. ement] 0°F Price/ Ft 5# \$28.60 5# 37.82 5# 53.32	Discha	(Series 1740)
Dr Service: For pneumatic transfer of cement or dry powder under low pressure and for use with abrasive slurries. Construction: Black abrasion resistant and static conducting natural rubber tube with polyester	I.D 4" 4" 4 1⁄	2	LESS 10% teria 2 3 2 2 2	- FULL COILS als/C wbe @7 1/4" 75 1/4" 75 1/4" 75	OF 100 FT. ement 1 0°F Price/ Ft 5# \$28.60 5# \$7.82 5# 53.32 5# 58.36	Discha	(Series 1740)
Dr Service: For pneumatic transfer of cement or dry powder under low pressure and for use with abrasive slurries. Construction: Black abrasion resistant and static conducting natural rubber tube with polyester cord reinforcement. Black wear and weather resistant cover.	I.D 4" 4" 4 1⁄	2	LESS 10% teria 2 3 2 2 2	- FULL COILS als/C Wube @7 1/4" 75 1/4" 75 1/4" 75 1/4" 75 1/4" 75	OF 100 FT. ement 1 0°F Price/ Ft 5# \$28.60 5# 37.82 5# 53.32 5# 58.36		(Series 1740)
Dr Service: For pneumatic transfer of cement or dry powder under low pressure and for use with abrasive slurries. Construction: Black abrasion resistant and static conducting natural rubber tube with polyester cord reinforcement. Black wear and weather resistant cover.	I.D 4" 4" 4 1⁄	2	LESS 10% teria 2 3 2 2 2	- FULL COILS als/C Wube @7 1/4" 75 1/4" 75 1/4" 75 1/4" 75 1/4" 75	OF 100 FT. ement 1 0°F Price/ Ft 5# \$28.60 5# 37.82 5# 53.32 5# 58.36		(Series 1740)
Dr Service: For pneumatic transfer of cement or dry powder under low pressure and for use with abrasive slurries. Construction: Black abrasion resistant and static conducting natural rubber tube with polyester cord reinforcement. Black wear and weather resistant cover. Maximum length - 100 ft.	I.D 4" 4" 4 1⁄	2	LESS 10% teria 2 3 2 2 2	- FULL COILS als/C Wube @7 1/4" 75 1/4" 75 1/4" 75 1/4" 75 1/4" 75	OF 100 FT. ement 1 0°F Price/ Ft 5# \$28.60 5# 37.82 5# 53.32 5# 58.36		(Series 1740)
Dr Service: For pneumatic transfer of cement or dry powder under low pressure and for use with abrasive slurries. Construction: Black abrasion resistant and static conducting natural rubber tube with polyester cord reinforcement. Black wear and weather resistant cover.	I.D 4" 4" 4 1⁄	2	LESS 10% Teria Ply T 2 3 2 2 2 AVAILABLE I	- FULL COILS als/C W ube @7 1/4" 75 1/4" 75 1/4" 75 1/4" 75 1/4" 75 1/4" 75 1/4" 75 1/4" 75	OF 100 FT. ement I 0°F Price/ Ft 5# \$28.60 5# 37.82 5# 53.32 5# 53.32 5# 53.32 5# 53.32 5# 53.32 5# 53.32 5# 53.32		(Series 1740) rge Hose (Series 1750) ater Blast
Dr Service: For pneumatic transfer of cement or dry powder under low pressure and for use with abrasive slurries. Construction: Black abrasion resistant and static conducting natural rubber tube with polyester cord reinforcement. Black wear and weather resistant cover. Maximum length - 100 ft. Service: Extreme high pressure, high performance water blast hose to handle water on high pressure	I.D 4" 4" 4 1⁄	2	LESS 10% teria Ply T 2 3 2 2 AVAILABLE I W/P	- FULL COILS als/C Wube @7 1/4" 75 1/4" 75 1/4" 75 1/4" 75 1/4" 75	OF 100 FT. ement I 0°F Price/ Ft 5# \$28.60 5# 37.82 5# 53.32 5# 55 58 5# 58 58 58 5# 58 58 58 5# 58 58 5# 58 58 5# 58 58 5# 58 5	sure Wa	(Series 1740) rge Hose (Series 1750) ater Blast
Dr Service: For pneumatic transfer of cement or dry powder under low pressure and for use with abrasive slurries. Construction: Black abrasion resistant and static conducting natural rubber tube with polyester cord reinforcement. Black wear and weather resistant cover. Maximum length - 100 ft. Service: Extreme high pressure, high performance water blast hose to handle water on high pressure equipment.	I.D.	2	LESS 10% teria Ply T 2 3 2 2 2 AVAILABLE I W/P @70°F	- FULL COILS als/C we we @7 1/4" 79 1/4" 79 1/	OF 100 FT. Price/ Ft 5# \$28.60 5# \$28.60 5# 37.82 5# 53.32 5# 57 58 5# 53.32 5# 55.36 5# 55.36 5	sure Wa	(Series 1740) rge Hose (Series 1750) ater Blast
Dr Service: For pneumatic transfer of cement or dry powder under low pressure and for use with abrasive slurries. Construction: Black abrasion resistant and static conducting natural rubber tube with polyester cord reinforcement. Black wear and weather resistant cover. Maximum length - 100 ft. Service: Extreme high pressure, high performance water blast hose to handle water on high pressure equipment. Construction: Seamless synthetic	I.D. 3/8	2	LESS 10% teria Ply T 2 3 2 2 2 AVAILABLE I W/P @70°F 12,000#	- FULL COILS als/C w wbe @7 1/4" 7! 1/4" 7! 1/4" 7! 1/4" 7! 1/4" 7! 1/4" 7! 1/4" 7! 1/4" 7! 1/4" 7! Price/ 50 F w/ Male Coup \$712.0	OF 100 FT. Price/ Ft 5# \$28.60 5# \$28.60 5# \$37.82 5# \$53.32 5# \$53.32 5# \$58.36 Price/ 100 Ft lings w/ Male Couplings 0 \$1,150.00	sure Wa	(Series 1740)
Dr Service: For pneumatic transfer of cement or dry powder under low pressure and for use with abrasive slurries. Construction: Black abrasion resistant and static conducting natural rubber tube with polyester cord reinforcement. Black wear and weather resistant cover. Maximum length - 100 ft. Service: Extreme high pressure, high performance water blast hose to handle water on high pressure equipment.	I.D. 3/8 ed 1/2		LESS 10% teria Ply T 2 3 2 2 2 AVAILABLE I W/P @70°F 12,000# 12,000#	- FULL COILS als/C wube @7 1/4" 7! 1/4" 7! 1/4" 7! 1/4" 7! 1/4" 7! 1/4" 7! M 20 FT. MULT 	OF 100 FT. Price/ Ft 0°F Price/ Ft 5# \$28.60 5# \$37.82 5# 53.32 5# 53.32 5# 58.36 Price/ 100 Ft Price/ 100 Ft fings w/ Male Couplings 00 \$1,150.00 00 1,362.00	sure Wa	(Series 1740) rge Hose (Series 1750) ater Blast
Dr Service: For pneumatic transfer of cement or dry powder under low pressure and for use with abrasive slurries. Construction: Black abrasion resistant and static conducting natural rubber tube with polyester cord reinforcement. Black wear and weather resistant cover. Maximum length - 100 ft. Service: Extreme high pressure, high performance water blast hose to handle water on high pressure equipment. Construction: Seamless synthetic water and oil resistant tube reinforce	I.D. 4" 4 1/ 5" I.D. 3/8 ed 1/2 1/2"		LESS 10% teria Ply T 2 3 2 2 2 AVAILABLE I W/P @70°F 12,000#	- FULL COILS als/C w wbe @7 1/4" 7! 1/4" 7! 1/4" 7! 1/4" 7! 1/4" 7! 1/4" 7! 1/4" 7! 1/4" 7! 1/4" 7! Price/ 50 F w/ Male Coup \$712.0	OF 100 FT. Price/ Ft 0°F Price/ Ft 5# \$28.60 5# \$37.82 5# 53.32 5# 53.32 5# 58.36 Price/ 100 Ft Price/ 100 Ft St Price/ 100 Ft Imps w/ Male Couplinge 00 \$1,150.00 00 1,362.00	sure Wa	(Series 1740) rge Hose (Series 1750) ater Blast



🛃 www.abbottrubber.com


78800-852-1855




Hose Thread Male Female 1.D. Thread Male Female 1/4" 1/4" \$2.08 \$3.28 5/16" 1/4" \$2.22 3.28 3/8" 1/4" 2.22 3.26 3/8" 3/8" 2.82 3.86 1/2" 3/8" 3.36 3.86 1/2" 1/2" 5.38 5.48 3/4" 3/4" 7.64 7.90 1" 1" 16.32	Ho 1/ 5/ 3/ 1/ 5/ 3/	Brass Fer: (Series FE (Series FE)) (Series FE) (Series FE) (BL) Price/Each \$0.76 0.76 0.80 1.10 2.14 2.68 3.00	Crimping Tools (Series MC) Crimps 1/4" thru 3/8" I.D. Hose DIES INCLUDED Price/Each \$437.80 (Series MCL) Crimps 1/2" thru 1" I.D. Hose DIES OPTIONAL Price/Each \$354.84
IndustrialQuick-D	isconne	ctCouplin		Quick-DisconnectSet
(Se	ries M)		-3-	(Series M)
Industrial	Interchange Thread/Barb	1/4" Body Size	3/8" Body Size	For 1/4" Thread
Female Coupler	1/4"	\$12.52	\$25.12	
	3/8"	16.64	30.96	
Male Coupler	1/4"	12.52	22.50	Price/Each \$15.98
A STATE OF COMPANY	3/8"	16.64	31.62	SET INCLUDES FEMALE COUPLER
Hose Shank Coupler	1/4"	16.50	21.52	AND MALE QUICK-DISCONNECT PLUG
	3/8"	13.20	34.26	Quick-DisconnectSet
Female Plug	1/4"	2.98	6.64	Add-On
	3/8"	5.98	8.76	「「「「「」」 「「」」 「「」」 「」」 「」」 「」」 「」」 「」」 「
Male Plug	1/4"	2.30	3.86	Body Size Price/Each 1/4" \$19.18
	3/8"	5.96	6.42	3/8" 37.20
Hose Shank Plug	1/4"	6.84		
DATED	3/8"	7.30	8.58	ADD PER YOUR REQUIREMENTS TO HOSE ASSEMBLY PRICE
	TO 300 PSI			
Pressure Washer	Be	ent Stem S	wivels-	Air Tool
Quick-Disconnects		(Series U		Lubricant
(Series KQD) Straight-Thru Style Couplings				(Series UL)
Price Size Each			Carlos Carlos	Size Price/Each
Female Coupler 1/4" \$12.52	3/8" M	ale NPT x 7/8-24	Thread	Pint \$24.08
3/8" 16.64	3/6 101	Price/Ea		Gallon 111.82
Male Coupler 1/4" 12.52 3/8" 16.64			- former ()	
378 10.04	4/0" 11	Charley 7/0	O.4. Thread	Anti-Freeze
1/4" 3.48	1/2 П	ose Shank x 7/8-2 Price/Ea		Lubricant
Female Plug 1/4" 3.48 3/8" 4.90			φ01.00	(Series ULA)
_				Size Price/Each
Male Plug 1/4" 2.98	1/2" H	ose Shank x 1/2"	NPT Thread	Pint \$38.74 Gallon 250.98
3/8" 5.98		Price/Ea		
RATED TO 3500 PSI	/ (
	\sim			USE TO -40°F

🛜 800-852-1855 🛛 👩 www.abbottrubber.com







PIPE FITTINGS

Female to Male Hex Nig (Series JFM) Brass	ople Male to Male Hex Nipple (Series JMM) Brass
Size Price/E 3/4" GHT x 1" NPT \$31.3 1" NPT x 3/4" GHT \$6.3 1 ½" NPT x 1 ½" NPSH 45.0 2 ½" NPT x 2 ½" NPSH 83.3 1 ½" NPT x 1 ½" NST 35.3	1" NPT x 3/4" GHT \$33.82 1" NPT x 1" NPSH 34.10 11 '½" NPT x 1 '½" NPSH 38.30 12 '2" NPT x 2" NPSH 110.66 16 2 '½" NPT x 2 '½" NPSH 84.44 14 1" NPT x 1" NST 34.10
2 ½" NPT x 2 ½" NST 82.0 3" NPT x 2 ½" NST 174.3 1" NPSH x 3/4" GHT 36.2 1 ½" NPSH x 1 ½" NPT 42.9 1 ½" NPSH x 1 ½" NPT 35.7 1 ½" NST x 1 ½" NPT 31.9 1 ½" NST x 1 ½" NPSH 45.0 2 ½" NST x 2" NPT 151.9 2 ½" NST x 2 ½" NPT 92.9	30 1 ½" NPT x 1 ½" NST 38.30 34 2" NPT x 2 ½" NST 103.30 20 2 ½" NPT x 2 ½" NST 103.30 20 2 ½" NPT x 2 ½" NST 79.88 38 3" NPT x 2 ½" NST 79.88 14 3" NPT x 2 ½" NST 169.86 14 1 ½" NST x 1 ½" NST 38.30 150 1 ½" NST x 1 ½" NST 38.30 12 90° Street Elbow 90° Elbow
2 ½" NST x 3" NPT 2 ½" NST x 2 ½" NPSH 137.6 Union (Series P64-6) 150# Galvanized 3/8" \$27.30 1/2" 27.60 3/4" 32.80 1" 40.74 1 ½" 70.88 2" 94.64	66 150# Galvanized 150# Galvanized
(Series P64-4) (Ser	$\begin{array}{c} 1 & 1 & 2 & 0 & 0 & 3 & 4 \\ 2^{"} & 61.26 & 2^{"} & 38.76 \\ \end{array}$
24 2800-852-18	855 🌏 www.abbottrubber.com

HOSE CLAMPING SYSTEMS

Band-It Clamps - Preformed	Band-It Tools
(Series BJ)	(Series BC)
	Band-It Tool Band-It Adapter
High Carbon Coated Steel Also Available in Stainless Steel	
	Price/Each Price/Each
Part No. Clamp I.D. Band Width Price/Each BJS-301 7/8" 3/8" \$1.34	\$249.50 \$285.00
BJS-302 1 ³ / ₈ " 3/8" 1.44	BAND-IT ADAPTER REQUIRED FOR USE WITH PREFORMED CLAMPS
BJS-303 1" 1/2" 1.96	Stainless Steel Band-It Band & Buckles
BJS-304 1 ¼" 1/2" 1.96 BJS-305 1 ½" 5/8" 2.66	
BJS-305 1 ½ 5/8 2.66 BJS-306 1 ¾" 5/8" 2.68	(Series BC)
BJS-307 2" 5/8" 2.50	
BJS-308 2 ¼" 5/8" 3.16	
BJS-309 2 ½" 5/8" 3.00 BJS-310 2 ¾" 3/4" 4.46	
BJS-310 2 % 3/4 4.46 BJS-311 3" 3/4" 4.58	Band Buckles
BJS-312 3 ½" 3/4" 4.88	Width Price/100 Ft Box Price/100 Pc Box
BJS-313 4" 3/4" 5.22	3/8" \$171.50 \$116.50
BJS-314 4 ½" 3/4" 5.62 BJS-315 5" 3/4" 6.24	1/2" 233.50 162.00 5/8" 280.00 201.50
BJS-318 7" 3/4" 9.06	3/4" 352.50 244.50
Contou Dunch Clamma, Ducformed	
Center Punch Clamps - Preforme	
(Series BCF) Galvanized Carbon Steel Also Available in Stainless Steel	(Series BCP)
	Liegun Dutul egizing Teel Intermediate Legizing Teel
000	Heavy Duty Locking Tool Intermediate Locking Tool
000	Heavy Duty Locking Tool Intermediate Locking Tool
000	Heavy Duty Locking Tool Intermediate Locking Tool
000	Heavy Duty Locking Tool Intermediate Locking Tool
Part No. Clamp I.D. Band Width Price/Each	Heavy Duty Locking Tool Intermediate Locking Tool
BCP-1 1" 3/8" \$1.18	Heavy Duty Locking Tool Intermediate Locking Tool
	Imported
BCP-1 1" 3/8" \$1.18 BCP-2 1 %" 3/8" 0.00 BCP-3 2" 3/8" 1.32 BCP-4 1" 5/8" 1.38	Imported
BCP-1 1" 3/8" \$1.18 BCP-2 1 3/8" 3/8" 0.00 BCP-3 2" 3/8" 1.32 BCP-4 1" 5/8" 1.38 BCP-5 1 1/4" 5/8" 1.46	Heavy Duty Locking Tool Intermediate Locking Tool
BCP-1 1" 3/8" \$1.18 BCP-2 1 %" 3/8" 0.00 BCP-3 2" 3/8" 1.32 BCP-4 1" 5/8" 1.38	Imported
BCP-1 1" 3/8" \$1.18 BCP-2 1 %" 3/8" 0.00 BCP-3 2" 3/8" 1.32 BCP-4 1" 5/8" 1.38 BCP-5 1 ¼" 5/8" 1.46 BCP-6 1 ½" 5/8" 1.68 BCP-7 1 ¾" 5/8" 1.64 BCP-8 2" 5/8" 1.92	Imported
BCP-1 1" 3/8" \$1.18 BCP-2 1%" 3/8" 0.00 BCP-3 2" 3/8" 1.32 BCP-4 1" 5/8" 1.38 BCP-5 1¼" 5/8" 1.46 BCP-6 1½" 5/8" 1.68 BCP-7 1¾" 5/8" 1.64 BCP-8 2" 5/8" 1.92 BCP-9 2¼" 5/8" 1.92	Imported
BCP-11" $3/8$ "\$1.18BCP-2 $1\frac{3}{6}$ " $3/8$ "0.00BCP-32" $3/8$ "1.32BCP-41" $5/8$ "1.38BCP-5 $1\frac{1}{4}$ " $5/8$ "1.46BCP-6 $1\frac{1}{2}$ " $5/8$ "1.68BCP-7 $1\frac{3}{4}$ " $5/8$ "1.64BCP-82" $5/8$ "1.92BCP-9 $2\frac{1}{4}$ " $5/8$ "1.92BCP-10 $2\frac{1}{2}$ " $5/8$ "2.16BCP-11 $2\frac{3}{4}$ " $5/8$ "2.16	Imported
BCP-11" $3/8$ "\$1.18BCP-2 $1\frac{3}{6}$ " $3/8$ "0.00BCP-32" $3/8$ "1.32BCP-41" $5/8$ "1.38BCP-5 $1\frac{1}{4}$ " $5/8$ "1.46BCP-6 $1\frac{1}{2}$ " $5/8$ "1.68BCP-7 $1\frac{3}{4}$ " $5/8$ "1.64BCP-82" $5/8$ "1.92BCP-9 $2\frac{1}{4}$ " $5/8$ "1.92BCP-10 $2\frac{1}{2}$ " $5/8$ "2.16BCP-11 $2\frac{3}{4}$ " $5/8$ "2.16BCP-12 3 " $5/8$ "2.38	Imported Contraction of the second seco
BCP-11" $3/8$ "\$1.18BCP-2 $1\frac{3}{6}$ " $3/8$ "0.00BCP-32" $3/8$ "1.32BCP-41" $5/8$ "1.38BCP-5 $1\frac{1}{4}$ " $5/8$ "1.46BCP-6 $1\frac{1}{2}$ " $5/8$ "1.68BCP-7 $1\frac{3}{4}$ " $5/8$ "1.64BCP-82" $5/8$ "1.92BCP-9 $2\frac{1}{4}$ " $5/8$ "1.92BCP-10 $2\frac{1}{2}$ " $5/8$ "2.16BCP-11 $2\frac{3}{4}$ " $5/8$ "2.16BCP-123" $5/8$ "2.38BCP-14 $3\frac{1}{2}$ " $5/8$ "2.44	Imported Imp
BCP-11" $3/8$ "\$1.18BCP-2 $1\frac{3}{6}$ " $3/8$ "0.00BCP-32" $3/8$ "1.32BCP-41" $5/8$ "1.38BCP-5 $1\frac{1}{4}$ " $5/8$ "1.46BCP-6 $1\frac{1}{2}$ " $5/8$ "1.68BCP-7 $1\frac{3}{4}$ " $5/8$ "1.64BCP-82" $5/8$ "1.92BCP-9 $2\frac{1}{4}$ " $5/8$ "1.92BCP-10 $2\frac{1}{2}$ " $5/8$ "2.16BCP-11 $2\frac{3}{4}$ " $5/8$ "2.38BCP-14 $3\frac{1}{2}$ " $5/8$ "2.44BCP-164" $5/8$ "3.00BCP-18 $4\frac{1}{2}$ " $5/8$ "2.92	Imported Contraction of the second seco
BCP-11" $3/8$ "\$1.18BCP-2 $1\frac{3}{6}$ " $3/8$ "0.00BCP-32" $3/8$ "1.32BCP-41" $5/8$ "1.38BCP-5 $1\frac{1}{4}$ " $5/8$ "1.46BCP-6 $1\frac{1}{2}$ " $5/8$ "1.68BCP-7 $1\frac{3}{4}$ " $5/8$ "1.64BCP-82" $5/8$ "1.92BCP-9 $2\frac{1}{4}$ " $5/8$ "1.92BCP-10 $2\frac{1}{2}$ " $5/8$ "2.16BCP-11 $2\frac{3}{4}$ " $5/8$ "2.16BCP-123" $5/8$ "2.38BCP-14 $3\frac{1}{2}$ " $5/8$ "2.44BCP-164" $5/8$ "3.00BCP-18 $4\frac{1}{2}$ " $5/8$ "2.92BCP-205" $5/8$ " 3.30	Imported Imp
BCP-11" $3/8$ "\$1.18BCP-2 $1\frac{3}{6}$ " $3/8$ "0.00BCP-32" $3/8$ "1.32BCP-41" $5/8$ "1.38BCP-5 $1\frac{1}{4}$ " $5/8$ "1.46BCP-6 $1\frac{1}{2}$ " $5/8$ "1.68BCP-7 $1\frac{3}{4}$ " $5/8$ "1.64BCP-82" $5/8$ "1.92BCP-9 $2\frac{1}{4}$ " $5/8$ "1.92BCP-10 $2\frac{1}{2}$ " $5/8$ "2.16BCP-11 $2\frac{3}{4}$ " $5/8$ "2.38BCP-14 $3\frac{1}{2}$ " $5/8$ "2.44BCP-164" $5/8$ "3.00BCP-18 $4\frac{1}{2}$ " $5/8$ "2.92	Imported Imp
BCP-11" $3/8"$ \$1.18BCP-2 $1\frac{3}{6}"$ $3/8"$ 0.00 BCP-32" $3/8"$ 1.32 BCP-41" $5/8"$ 1.38 BCP-5 $1\frac{1}{4}"$ $5/8"$ 1.46 BCP-6 $1\frac{1}{2}"$ $5/8"$ 1.68 BCP-7 $1\frac{3}{4}"$ $5/8"$ 1.64 BCP-8 $2"$ $5/8"$ 1.92 BCP-9 $2\frac{1}{4}"$ $5/8"$ 1.92 BCP-10 $2\frac{1}{2}"$ $5/8"$ 2.16 BCP-11 $2\frac{3}{4}"$ $5/8"$ 2.38 BCP-12 $3"$ $5/8"$ 2.44 BCP-16 $4"$ $5/8"$ 3.00 BCP-18 $4\frac{1}{2}"$ $5/8"$ 2.92 BCP-20 $5"$ $5/8"$ 3.30 BCP-28 $7"$ $5/8"$ 4.58	Price/Each \$212.50 FOR 5/8" WIDE CENTER PUNCH CLAMPS
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Imported Imported Imported Price/Each S212.50 FOR 5/8" WIDE CENTER PUNCH CLAMPS Tie-Down Straps
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Price/Each \$212.50 Price/Each \$329.64 Tie-Down Straps
BCP-1 1" 3/8" \$1.18 BCP-2 1%" 3/8" 0.00 BCP-3 2" 3/8" 1.32 BCP-4 1" 5/8" 1.38 BCP-5 1¼" 5/8" 1.46 BCP-6 1½" 5/8" 1.64 BCP-7 1¾" 5/8" 1.64 BCP-8 2" 5/8" 1.92 BCP-9 2¼" 5/8" 1.92 BCP-10 2½" 5/8" 2.16 BCP-11 3¼" 5/8" 2.16 BCP-12 3" 5/8" 2.38 BCP-14 3½" 5/8" 2.38 BCP-14 3½" 5/8" 3.00 BCP-20 5" 5/8" 3.30 BCP-20 5" 5/8" 3.30 BCP-28 7" 5/8" 4.06 BCP-28 7" 5/8" 4.58 Size Span Range Price/Each 5" 10"-15" \$3.65 10" 10" 15"-20" <td>Imported Imported Imported</td>	Imported
BCP-1 1" 3/8" \$1.18 BCP-2 1%" 3/8" 0.00 BCP-3 2" 3/8" 1.32 BCP-4 1" 5/8" 1.38 BCP-5 1¼" 5/8" 1.46 BCP-6 1½" 5/8" 1.68 BCP-7 1¾" 5/8" 1.64 BCP-8 2" 5/8" 1.92 BCP-9 1¼" 5/8" 2.16 BCP-10 1½" 5/8" 2.16 BCP-11 3¼" 5/8" 2.16 BCP-12 3" 5/8" 2.38 BCP-14 3½" 5/8" 2.38 BCP-18 4½" 5/8" 3.00 BCP-20 5" 5/8" 3.30 BCP-26 6 ½" 5/8" 4.06 BCP-28 7" 5/8" 4.58	Imported

HYDRAULIC HOSE ASSEMBLIES

SAE 100R1AT/1SN • One Wire Braid Hose Assembly~

Service: Medium/high pressure hydraulic hose assembly for all types of equipment uses.

Construction: Oil resistant tube and cover with one braid of high tensile steel wire. Includes rigid male pipe thread both ends.

I.D.	Braid	W/P	Price/ 1 F Assembl
1/4"	1-Wire	3270#	\$26.62
3/8"	1-Wire	2615#	28.48
1/2"	1-Wire	3220#	32.96

•	Price/ 1 Ft Assembly	Additiv Per Fi
)#	\$26.62	\$4.46
5#	28.48	4.84
)#	32.96	5.44



LESS 10% - BULK PACKAGE

SAE 100R16 • Two Wire Braid Hose Assembly

Service: High pressure hydraulic hose assembly for all types of equipment uses. Features the bend radius of 1-wire braid hose.

Construction: Oil resistant tube and cover with two braids of high tensile steel wire. Includes rigid male pipe thread both ends.

I.D.

3/4"

1 1/4"

1 1/2"

2"

1"

I.D.	Braid	W/P	Price/ 1 Ft Assembly	Additive Per Ft
1/4"	2-Wire	5800#	\$29.08	\$6.92
3/8"	2-Wire	5000#	31.58	7.94
1/2"	2-Wire	4500#	36.32	8.80
3/4"	2-Wire	3500#	66.06	13.98
1"	2-Wire	2700#	100.84	18.64
	LESS	10% - BULK	PACKAGE	

Made in U.S.A. (Series 1960A)

Made in Canada

(Series 1920A)

-SAE 100R12 • Four Spiral Hose Assembly[.]

Service: Extreme High pressure hydraulic hose assembly for all	I.D.	Spiral	W/P	Price/ 1 Ft Assembly	Additive Per Ft	
types of equipment uses.	1/2"	4	4000#	\$36.58	\$15.98	
	3/4"	4	4000#	63.00	22.40	
Construction: Oil resistant tube and cover with four spirals of high tensile steel wire. Includes rigid	1"	4	4000#	94.10	27.50	
	1 ¼"	4	3000#	197.70	38.10	
	1 1⁄2"	4	2500#	293.30	45.70	
male pipe thread both ends.	2"	4	2500#	448.80	63.60	(Carries (200 A)
		LESS	6 10% - BULK	PACKAGE		(Series 1992A)

SAE 100R4 • Hydraulic Suction Hose Assembly

Service: Low pressure hydraulic return line or petroleum suction.

Construction: Oil resistant tube and cover with textile reinforcement and wire helix for suction. Includes rigid male pipe thread both ends.


Ply	W/P	Price/ 1 Ft Assembly	Additive Per Ft
2-Ply	350#	\$56.00	\$16.60
2-Ply	325#	67.28	17.08
2-Ply	250#	123.52	20.68
2-Ply	225#	178.88	24.48
2-Ply	225#	252.70	30.46

LESS 10% - BULK PACKAGE

Universal Truck/Fleet/Multi-Purpose Hose

Service: High temperature, medium pressure hose for	SAE Size	Ply	W/P	Price/ Ft	Reusable NPT Male	Reusable JIC Female
applications including oil	-4	1-Wire	2000#	\$12.48	\$17.90	\$20.90
lines, transmission coolant	-5	1-Wire	1500#	12.90	28.50	24.24
and filtration lines.	-6	1-Wire	1500#	13.62	20.48	25.09
Construction: Black CPE tube,	-8	1-Wire	1250#	15.00	33.95	35.12
wire and textile braid, and blue	-10	1-Wire	1000#	17.12	41.86	43.51
impregnated textile braid cover.	-12	1-Wire	750#	20.16	53.00	59.67
		1	ESS 10% -		GE	

🛃 www.abbottrubber.com



26

HYDRAULIC HOSE ACCESSORIES









PROUD ASSOCIATE MEMBER OF







1311 MEACHAM ROAD • ITASCA, IL 60143 • 800.852.1855

E-MAIL sales@abbottrubber.com • WEBSITE www.abbottrubber.com



ISO 9001:2015 Certified